

HVAC Equipment Catalog

MARCH 2023

EMPRO HYDRAULIC 52" SHEARS

- Capacity: 14ga and 10ga mild steel
- Includes: 24" rack and pinion back gauge, front material support arms
- Single stroke, continuous stroke and jog modes

Model	Description	Prices	Special
H5214	52" x 14ga Hyd Shear 220/3 Phase	\$13,995	\$12,995
H5214	52" x 14ga Hyd Shear 575/3 Phase	\$13,995	\$12,995

Model	Description	Prices	Special
	52" x 10ga Hyd Shear 220/1 Phase	\$18,995	\$16,995
H5210	52" x 10ga Hyd Shear 220/3 Phase	\$17,995	\$15,995
	52" x 10ga Hyd Shear 575/3 Phase	\$17,995	\$15,995

Model	Description	Price
H6014	60" x 14ga Hyd Shear 220/3 Phase	\$15,995



LEARN MORE

JOUANEL CGII3080A-BAE SHEAR

- Model: CGI3080-BAE
- Cutting Length: 10ft
- Capacity: 14ga aluminum, 16ga mild steel
- Speed: 25 strokes/minute
- Sheet support system
- Front material return with mobile cart
- Adjustable backgauge fingers
- · CNC touch screen control
- Motorized backgauge
- Electrics: 220V 3PH 60Hz

\$49,995







EMPRO SPOTWELDERS

25KVA | 35KVA | 50KVA (Air & Foot Operated)

Model	Description	Price
PB126S2	25 KVA Foot w/Simple S2 Control	\$8,035
PBP126PX	25 KVA Air w/Programmable PX1700 Control	\$8,555
PBP136PX	35 KVA Air w/Programmable PX1700 Control	\$9,150
PBP151PX	50 KVA Air w/Programmable PX1700 Control	\$10,565

Prices shown: 220 volt single Phase, 575 volt optional

Prices shown: 30" arms lengths



INCREASE PRODUCTION QUALITY

AND YOUR PROFIT



MODEL PBP AIR OPERATED

LEARN MORE



MODEL PB FOOT OPERATED

GRIPNAIL MODEL 7105HS "HIGH SPEED" GLIDING HEAD POWER PINNER

- Moving head: Speeds production
- Flange cutouts: Permit continuous lining of flat or L section flanged duct
- New improved reliability: The PowerPinner Glider 7105 Moving Head Welder uses a PLC (Programmable Logic Control) and non-contact proximity sensors in place of pneumatic valves and mechanical actuators
- Easy to operate: Simple logical controls reduce operation training
- Standard 5 foot throat: Fastens large duct sections, reducing material handling

\$32,100 (Fixed Head Model - 7005HS - **\$24,810**)

LEARN MORE



EMPRO MANUAL SLIP ROLLERS

SPECIAL INVENTORY CLEAROUT

	R-3622	R-5016		
Capacity	36" x 22ga	50" x 16ga		
Roll Diameter	2"	3"		
Price	\$1,395 \$1,250	\$3,395 \$2,795		
Notes	Available with polished and ground rolls.Optional floor stand: \$235			




LEARN MORE

EMPRO POWERED SLIP ROLLERS

	R-3622E	R-5016E		
Capacity	36" x 33ga	50" x 16ga		
Roll Diameter	2"	3"		
Power	220/1/60 220/1/60			
Price	\$4,195 \$5,795			
Notes	Available with polished and ground rolls			





CALL US FOR PRICING TODAY

1.800.665.8089

GORELOCKER SPORT PLUS

The Gorelocker Sport Plus offers an alternative to welded elbows, reducers, end caps and off-sets.

Diameter: 5" – 50"Motor: 5.4 HP

• Maximum thickness: .050"

• Weight: 1650 lbs

LEARN MORE





STITCH WELDER

The Stitch Welder Pro 2.0 is designed to give you a perfect air-tight seam throughout the whole welding length.

- · Highest welding speed in the industry.
- Mercury free welding rollers
- Spiro[®] control system, easy recipe management, load, save, or backup with just a click.

LEARN MORE





3600 TUBEFORMER

The Tubeformer 1602/3600 has been widely recognized in the HVAC and sheet metal industry as the spiral duct machine with outstanding quality, reliability, and performnace-driven approach.

Available in 3 options: standard, pro, and heavy gauge.



Performance Tested	Standard	Pro - High Speed	HD - Heavy Gauge	
Performance resteu	# of 10 ft. lengths/hour			
4" dia. x 0.020" thickness	180	250	180	
20" dia. x 0.028" thickness	53	85	53	
50" dia. x 0.035" thickness	23	40	23	





CORNERMATIC PLUS VERSA

- All the benefits and features of the Cornermatic Plus with the versatility for both fittings and straight duct
- Scissor table allows the machine to be raised to table height for fittings and lowered into the floor for large straight duct and larger fittings.

Starting at \$45,000 USD

LEARN MORE





WHISPERLOC-PRO XVI

- · 16ga Mild Steel Capacity
- Adjustable height from 18" 72"
- Closes Pittsburgh seams with Transverse (TDC/TDF) connection or slip and drive in a fraction of the time and without the noise of an air hammer!

Starting at \$41,000






DUAL SIDE DRIVE PLASMA TABLE

IN STOCK

- Model: 510
- Cutting area: 5'x10'
- Compact unitized construction
- Fully-welded frame, heavy duty material support
- 6"x6" precision machined aluminum gantry engineered for maximum stiffness, 5.5" clearance under gantry
- Oversized self-cleaning dual v-groove bearings riding on hardened machined v-guide rails
- Dual linear bearings on Z axis for smooth lifter motion
- Powerful stepper motors with zero backlash drive system
- · Torch height controller with roller ball
- · Touchscreen controller in industrial housing
- Integrated SilverNest CAD/CAM/CNC software designed to be user friendly for the novice or the experienced operator
- Laser cut slat brackets with offset slat pattern for increased table rigidity
- Dual side drive with fully enclosed Z axis motor, custom end trucks, all axis cable track

Starting at \$57,995









TIN KNOCKER BARFOLDER

• Model: TK No. 30

• Capacity: 22ga

• Max. folding length: 30"

• Flange width range: 1/8"-1"

• Dimensions: 48" x 20"x 13"

• Shipping weight: 334 lbs.

\$5,495

LEARN MORE



TINKNOCKER MANUAL BENCH MODEL BOX & PAN BRAKES

Model	TK 2248	TK 1648
Capacity	4ft 22ga	4ft 16ga
Max. beam lift	7/8"	1.25"
Max. box depth	3"	4"
Min. reverse bend	5/16"	0.25"
Min. flange	3/8"	1"
Dimensions	64"x28"x32"	64"x28"x32"
Weight	356 lbs	493 lbs
Price	\$2,100	\$2,995

Note: Shown with optional stand

LEARN MORE

EMPRO 4ft 12ga HEAVY DUTY BOX & PAN BRAKE

	V-412-6	V-812-6	V1014-6
Capacity (MS)	12ga	12ga	14ga
Bending length	48"	96"	120"
Box depth	6"	6"	6"
Min. reverse bend	5/8"	5/8"	5/8"
Price	\$9,895	\$12,495	\$18,995



FLAGLER STANDARD PITTSBURGH ROLLFORMER

Capacity: 20ga and lighterDepth of pocket: 5/16"

· Forming speed: Approx. 23ft/min

• Electrics: 3/4HP 115V 1PH

• Weight: Approx. 250 lbs

· Includes: Power flanging attachment

 Optional auxiliary tooling: Drive cleat rolls, right angle flange rolls or Acme lock rolls

\$11,195

LEARN MORE



• Model: TK 24

· Capacity: 24ga mild steel

• Depth of pocket: Approx. 5/16" with hammer edge of 3/8"

• Speed: Approx. 35 FPM

• Flange height: 3/16" (4.76mm)

• Electrics: 115V 1PH 60Hz

· Includes flanging attachment

\$5,295

LEARN MORE

TIN KNOCKER MANUAL FOOT SQUARING SHEAR

Model: TK1652

• Capacity: 16GA Mild Steel

• Shearing Length: 52"

• Back Gauge: 25" with Engraved Rule

• Floor Space: 60" x 72"

• Dimensions: 60 x 34 x 42 in

• Weight: 1215 lbs

\$5,695









